



BALLAST BYPASS TLED LAMP

T8 LED Tube 4 Foot

OEO offers multiple varieties of LEDs to replace your fluorescent tubes. Our LED tubes are an affordable, reliable, and smart alternative to inefficient T5, T8, and T12 fluorescents. These LED tubes are a great retrofit solution and offer a quick and easy way to upgrade your fixtures to energy savings LED.



FEATURES

- 9.5W, 1600 Lumen, 4000K or 5000K, 4FT, Ballast Bypass, T8 LED Tube
- Save up to 68% energy compared to fluorescent tubes.
- Easily upgrade your existing fixtures to LED
- Long life: 50,000 hour L70 life
- LEDs last 2.5x longer than fluorescents
- No warm-up time, instant on with full light output and consistent lamp to lamp color
- Suitable for dry and damp environments
- Suitable for open and enclosed fixtures
- NSF listed for food zone (non-contact), splash zone, and non-food zone
- DLC 5.1, rebate eligible

APPLICATIONS

- Office
- Classroom
- Schools & Universities
- Retail
- Hospital
- Hospitality
- Warehouse

CERTIFICATIONS



RoHS



SPECIFICATIONS

- **TYPE:** Ballast Bypass (Type B)
- **POWER:** 120-277v direct line voltage
- **INPUT:** Double ended
- **BEAM ANGLE:** 220° distribution
- **CRI:** 82
- **DRIVER:** Integral driver
- **BASE:** G13 medium bi-pin
- **EFFICACY:** 168 lumens per watt
- **OPERATING TEMP:** -4° to 113°F
- **WARRANTY:** 5 years
- **MANUFACTURER:** Ledvance / Sylvania

NOTE:

These type B tubes only operate on direct line voltage 120-277v and require existing fluorescent ballasts to be bypassed before installation.

BALLAST BYPASS TLED T8 LED Tube – 4 Foot


PRODUCT DETAILS

Model	Item	Nominal Length	Watts	Lumens	LPW	CCT
LED9.5T8L48FG841BF	41064	48"	9.5W	1,600 LM	168	4000K
LED9.5T8L48FG850BF	41065	48"	9.5W	1,600 LM	168	5000K




DIMENSIONS

Nominal Length: 48"



WIRING DIAGRAM



SYLVANIA